

Notification dated 17th January 1936.

It is hereby notified, for general information, that Mr. Mohamed Dastagir Sab, Shimoga, the lessee of Bamboo lease of Sacrebyle Range for 1935 and 1936, having failed to remit (in full) the khist amount and cesses that fell due by him on 1st January 1936, even after the issue of notices, the above *bob* will be resold, at the risk of the original purchaser, at the District Forest Office, Shimoga at 2 P.M., on the 17th February 1936 by the District Forest Officer, Shimoga, or any other officer deputed by him for the purpose.

The kind and quantity of bamboos along with the conditions of sale will be intimated at the time of resale.

MOHAMED PIR,
District Forest Officer.

SAGAR FOREST DIVISION.

Abstract Notification dated 9th January 1936.

The attention of the public is invited to the detailed Notification of date relating to the auction sale of timber in Sagar Timber Depot on 3rd February 1936, published on pages 77-78, Part VI of the *Mysore Gazette*, dated the 16th January 1936.

H. S. RANGACHAR,
District Forest Officer.

BHADRAVATI DIVISION.

Abstract Notification dated 17th January 1936.

The attention of the public is invited to the detailed Notification calling for tenders for sawing teak sizes, published on pages 99-100, Part VI of the *Mysore Gazette* dated the 23rd January 1936. The last date for receipt of tender is 31st January 1936 up to 3 P.M.

M. G. VENKATA RAO,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 10th January 1936.

Attention of the public is invited to the notice, dated 6th January 1936, calling for tenders for constructing drains in Tarikere Town published on pages 79-80, Part VI of the *Mysore Gazette*, dated 16th January 1936.

The last date for receipt of tenders is 3rd February 1936.

B. R. GARUDACHAR,
Sanitary Engineer.

BUILDINGS DIVISION, BANGALORE.

Notification dated 25th January 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 12th February 1936 (2 P.M.) for constructing a building for the Aryabalikapathasala, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees Eight hundred only (Rs. 800) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a Building for the Aryabalikapathasala, Bangalore" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to their parties by selected contractors will not be countenanced by the department and in the case of any such attempt, the earnest money is liable to be forfeited at the discretion of the Superintending Engineer.

Abstract estimate of quantities for constructing the Aryabalikapatasala near Gandhi Nagar, Bangalore.

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
			Rs. a. p.		
1	Earthwork excavation for foundation and keeping the earth at a distance and filling in sides of excavations and between basements including watering and tamping etc., complete	C.yd.	0 4 0	297	
2	Laying 1:2:4 burnt stone jelly concrete in lime mortar	C.ft.	0 3 6	2,030	
3	Laying burnt size stone in mortar in foundations and basement including quoin dressing in basement	C.ft.	0 5 6	4,871	
4	Constructing the superstructure of external walls with size stone in mortar	"	0 5 6	3,141	
5	Constructing the superstructure of internal walls with brick in mortar	"	0 5 0	3,642	
6	Laying burnt stone slabs 6" thick roughly dressed including fixing in mortar at G. L. for damp proof course with necessary asphalt joints etc., complete	S.ft.	0 5 0	1,271	
7	Laying burnt stone slabs 6" thick one line dressed in bed and 2 line dressed on exposed surface other details as above	S.ft.	0 6 0	1,514	
8	Laying burnt stone slabs 6" thick 2 line dressed on exposed surface	S.ft.	0 8 0	218	
9	Pillars of size stone masonry 11' square in section 10' high with ornamental base and capital as per design, one line dressed on all the sides including pointing with cut line corners inclusive	Each	25 0 0	12	
10	Providing and fixing teak wood windows fully glazed shutter 11' thick (four foldings required) and frame 34" x 5" with bolts hinges of iron, etc., complete	S.ft.	1 8 0	493	
11	Providing and fixing teak wood doors 1/2 panelled, 2/3 glazed shutter 11' thick from 4" x 5" with bolts, hinges of iron etc., complete	"	1 12 0	380	
12	Roofing of R. C. interspaced with enmesh brick as per design to carry a total equivalent dead load of 1 1/2 cwt. per square feet span upto 11' covered on top with 3" surki concrete which again is to be covered by 2 courses of flat tiles laid in special lime mortar and on the top of it smooth lime plaster to necessary slopes and smooth ceiling plastering at bottom	Sqr. Sqr.	80 0 0 75 0 0	16.92 15.27	
13	Roofing:—Details as above but span 7 feet				
14	Tatas Tested R. S. Beams with one coat of paint including supplying, hoisting and fixing, etc., complete	cwt.	10 0 0	70.5	
15	W. C. Brick work for partition in lime mortar with 4 1/2" wide "Exmet" once in every 3 courses well bonded on either side into the walls	C.ft.	0 10 6	73	

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
16	Flooring 9" boulder and sand filling covered by 3" lime concrete and over that 1½" cement concrete finished with ½" cement plaster with red ochre rounding off at corners etc., complete ..	Sqr.	25 0 0	26·67	
17	Stone parapet wall as per drawing 2' high 9" thick with base and top cornice including plastering etc., complete ..	R.ft.	1 8 0	329	
18	Plain cornice 9" thick single beading new style as per design in stone ..	"	0 8 0	316	
19	Chajja cornice above front entrance ..	"	1 4 0	16	
20	Cement pointing with cut line for size stone work in basement ..	Sqr.	3 4 0	33·10	
21	Plastering over stone walls 2 courses of lime mortar ..	Sqr.	5 0 0	22·00	
22	Plastering over brick walls 2 courses of lime mortar ..	"	3 4 0	55·68	
23	White washing 2 coats ..	"	0 4 0	78·00	
24	One line dressing of stone masonry wherever necessary in superstructure ..	Sft.	0 2 0	2,837	
25	Painting R. S. Beams with 2 coats of green paint ..	Sqr.	3 8 0	5·06	
26	Painting T. W. windows and doors with 2 coats of silicate paint ..	"	3 8 0	12·53	
27	Coping for the compound wall as per drawing brick in mortar and plastering, etc., complete ..	R.ft.	0 5 0	30	
28	Providing and fixing a collapsible gate in front ..	S.ft.	2 10 0	80	
29	Providing and fixing an ordinary iron gate for the rear compound wall ..	"	1 0 0	35	
30	Boxing the double girders with slab and brick in mortar including wiring plastering etc., complete.	R.ft.	0 8 0	99	
31	Compound wall ..	"	2 0 0	700	

Notification dated 25th January 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 13th February 1936 (2 P.M.), for constructing a building for the Co-operative Society at Mysore Lancers at Hebbal, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of November 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees seven hundred only (700) in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for constructing a building for the Co-operative Society at Mysore Lancers at Hebbal, Bangalore, in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to third parties by selected contractors will not be countenanced by the Department and in the case of any such attempt the earnest money is liable to be forfeited at the discretion of the Superintending Engineer.

Abstract estimate of quantities for constructing a Building for the Co-operative Society at Mysore Lancers at Hebbal, Bangalore.

Serial No.	Name of work	Per	Rate	Contents	Rate to be quoted
			Rs. a. p.		
1	Earthwork excavation including filling in basement with excavated earth	C.yd.	0 4 0	250	
2	Granite jelly concrete in lime mortar (1:2:4)	C.ft.	0 4 0	2,902	
3	Size stone in clay with bond stone at 6' apart at every layer course	"	0 3 6	4,498	
4	Burnt brick in clay	"	0 3 6	6,619	
5	Burnt brick in mortar	"	0 4 6	1,556	
6	Burnt stone slabs 6" thick exposed surface two line dressed and other surface roughly dressed and fixed	S.ft.	0 5 0	2,530	
7	Teakwood doors frame (4"×5") panelled shutters 1½" thick with iron fittings, etc., complete	"	1 8 0	463	
8	Teakwood windows frame (4"×5") Iron bar ¾" thick at 3" apart glazed shutters 1½" thick outside with iron fittings, etc., complete and fixed	"	2 8 0	684	
9	R. C. Ventilators, 2" thick fixed	"	1 4 0	228	
10	R. S. Girder (Tatas' tested) including boxing with brick in cement plastering white washing	Cwt.	11 0 0	81	
11	Teakwood work, wrought and put up including wood oiling	C.ft.	5 0 0	385	
12	Pucca terrace work of 9" thick, complete	Sqr.	36 0 0	39.48	
13	Entablature wall over verandah pillar 1½' wide in brick in mortar plastering and white washing, etc.	C.ft.	1 0 0	102	
14	Flooring with 3" concrete in lime mortar and 1½" cement concrete top plastering finished with red ochre, etc.	Sqr.	28 0 0	22	
15	Cuddapah Slab Flooring 2" thick over 3" lime mortar and cement pointing the joints	"	22 0 0	6.72	
16	Burnt stone slab Flooring 3"×4" thick two line dressed and fixed over jelly concrete in lime mortar 3" thick and cement pointing the joints	"	40 0 0	4.8	
17	Cornice work 9"×9" ornamental as per design to be approved during execution	R.ft.	1 0 0	325	
18	Ornamental parapet wall (base 1½'×6") body of the wall ¾'×1½' including plaster top cornice lime mortar plastering and white washing, etc., complete	"	1 4 0	265	
19	Cement mortar pointing to basement	Sqr.	2 8 0	6.64	
20	Lime mortar plastering	"	3 0 0	120.16	
21	White washing, two coats	"	0 4 0	120.16	
22	Silicate painting or varnishing	"	4 0 0	22.14	
23	Pillar with round stone overcovered with brick in mortar and lime mortar plastering and with base and capital, etc., complete	Each	15 0 0	12	
24	Rain water Zinc Sheet water spout 3" dia. 6' long including fixing	"	3 0 0	40	

N. KRISHNIENGAR,
Executive Engineer.